Measuring Guide for Wood Valances and Faux Wood Valances

Choose a Mount Type: Inside Mount or Outside Mount

Inside Mount: Flush Window treatments are installed completely inside the window casing.

An **Inside Mount Valance** is manufactured with straight-cut edges on both ends and looks best when it is mounted flush to the window casing. Use the charts on the following pages to determine if your window is deep enough for a Full Recess Inside Mount Valance.


Inside Mount: Partial Recess Window treatments extend beyond the window casing

An Inside Mount Valance is manufactured with straight-cut edges on both ends.

Depending how far the valance extends beyond the window casing, returns (side pieces) can be ordered to cover the ends of the headrail and valance for a more finished look.

Use the charts and instructions on the following pages to determine the special valance return length needed, if necessary. Valance returns are available from 1/2" to 8".

Note: Returns and valances are measured and cut from the INSIDE of the miter (A) to ensure the most accurate fit when installed over the headrail or window frame. For example, a 30" valance with returns: 30" would be the BACKSIDE/INSIDE measurement. The front side measurement would be greater than 30" (which is correct). Returns would also be measured and cut on the BACKSIDE of the miter.





Outside Mount Window treatments installed outside the window casing

An **Outside Mount Valance** is manufactured with standard returns (side pieces) sized to cover the ends of the headrail and valance for a more finished look. See the charts on the following pages for standard outside mount return lengths. Valance returns are available from 1/2" to 8".

Note: Returns and valances are measured and cut from the INSIDE of the miter (A) to ensure the most accurate fit when installed over the headrail or window frame. For example, a 30" valance with returns: 30" would be the BACKSIDE/INSIDE measurement. The front side measurement would be greater than 30" (which is correct). Returns would also be measured and cut on the BACKSIDE of the miter.

If your Outside Mount Valance does not require returns, please specifiy at the time of order.





A: Inside Measurement B: Outside Measurement




- Steel tape measure do not use cloth tape
- Pencil
- Round measurements to the nearest 1/8"

Double-check you

work—alwavs



Flush Mount



Partial Recess Exposed Straight Cut Edge



Partial Recess Valance with Returns



Outside Mount Valance



		Maximum Continuous Width*				
VALANCE TYPE	BLIND TYPE	INSIDE MOUNT**	OUTSIDE MOUNT	TILT TYPE	RETURN LENGTH	FULL RECESS DEPTH
				cord	21/8"	31⁄4 "
2½" Classic Valance	2" Traditions [®] Bamboo and Barnwood	94¼"	931/16"	wand	31/16"	31/8"
				cordless	3%"	3¾"
				cord	21/8"	31⁄4"
	2" Traditions Composite	106%"	105%"	wand	31/16"	31/8"
				cordless	3%"	3¾"
	2½" Traditions Double Bevel Composite	106%"	105¾"	cord	315/16"	41⁄4"
Valance Returns ½" to 1": glued				cord	21/8"	31⁄4"
11/16" to 45%": optional glued	2" Lake Forest [®] Premium Faux Wood 2" Lake Forest Faux Wood	106%"	105%"	wand	3%16"	31/8"
4 ¹¹ /16" and greater: not glued				cordless	3%"	3¾"
keystone not available	21⁄2" Lake Forest Premium Faux Wood			cord	315/16"	41⁄4"
	2½" Lake Forest Faux Wood	106%"	105¾"	cordless	3¾"	41⁄8"
2" Classic Valence	1" Traditions Wood	100¼"	9 8¾"	wand	21/16"	23/8"
3" Classic Valance	1" Traditions Elite Wood	100¼"	98 ¾"	wand	1¾"	21/16"
	2" Grandeur™ Aluminum	100¼"	98¾"	cord	21/8"	31⁄4 "
	2" Horizontal Vinyl			wand	3%16"	31/8"
	2" Traditions and Elite Wood			cordless	3%"	3¾"
		100¼"	98%"	cord	3¾"	41/16"
Valance Returns ½" to 1": glued	2¾" Traditions and Elite Wood			cordless	3%16"	315/16"
11/16" to 45%": optional glued		100¼"	97¾"	cord	3 ¹⁵ ⁄16"	4¼"
4 ¹¹ /16" and greater: not glued	2½" Traditions Wood Shutter Style			cordless	3¾"	41⁄8"
	1" Traditions Wood	100¼"	9 8¾"	wand	21/16"	27/16"
	1" Traditions Elite Wood	1001⁄4"	98%"	wand	1¾"	21/8 "
				cord	21/8"	35/16"
3½" Legacy Valance	2" Grandeur Aluminum 2" Horizontal Vinyl	100¼"	98 ¾"	wand	3%16"	4"
5,	2" Traditions and Elite Wood			cordless	3%"	313/16"
			98%"	cord	3¾"	41/16"
And the owner of the owner	2¾" Traditions and Elite Wood	100¼"		cordless	3%16"	4"
Valance Returns ½" to 1": glued 1½6" to 45%": optional glued 41¼6" and greater: not glued			98¾"	cord	21/8"	35⁄16"
	2" Traditions Elite Authentic American Hardwoods*	100¼"		wand	3%16"	4"
				cordless	33/8"	3 ¹³ /16"
		100¼"	98%"	cord	21/8"	35/16"
	2" Traditions Distressed*			wand	3%16"	4"
				cordless	3%"	3 ¹³ /16"
		100¼"	9 8∛⊧" -	cord	3 ¹⁵ / ₁₆ "	43%"
	2½" Traditions Shutter Style			cordless	3 716	478 4 ³ /16"

*Continuous valances wider than sizes shown above will have two or more sections spliced together. Maximum width for spliced valances is 300". Keystones not available with Elite Authentic Hardwood, Distressed, Barnwood, Bamboo, Composite or Faux Wood Valances. **Assumes no returns on inside mount.



			Maximum Continuous Width*			
VALANCE TYPE	BLIND TYPE	INSIDE MOUNT**			RETURN LENGTH	FULL RECESS DEPTH
4½" Symphony Valance	1" Traditions [®] Wood	100¼"	98 ¾"	wand	21/16"	2 ¹³ /16"
	1" Traditions Elite Wood	100¼"	9 8%"	wand	1¾"	21/2 "
Constant and the second	2" Grandeur™ Aluminum			cord	21/8"	35⁄8"
	2" Horizontal Vinyl	100¼"	9 8¾"	wand	3%16"	4 ⁵ ⁄16"
	2" Traditions and Elite Wood			cordless	33⁄8"	41⁄8"
	2⅔" Traditions and Elite Wood	100¼"	9 8¾"	cord	3¾"	4 ½"
Valance Returns	2% Traditions and Elite Wood	10074	70%	cordless	3%16"	4 ⁵ ⁄16"
1/2" to 1": glued 11/16" to 45%": optional glued		100¼"	98¾"	cord	315/16"	4 ¹¹ / ₁₆ "
4 ¹¹ / ₁₆ " and greater: not glued	2½" Traditions Shutter Style	10074		cordless	3¾"	4 ¹ / ₂ "
3" Majestic Valance Valance Returns ½" to 1": glued 1%6" to 4%": optional glued 4%" and greater: not glued Keystone not available			105¾"	cord	21/8"	3¾"
	2" Traditions Composite	106%"		wand	31/16"	4 ¹ ⁄ ₁₆ "
				cordless	33⁄8"	31/8"
	21/2" Traditions Double Bevel Composite	1065/8"	105%"	cord	315/16"	47⁄16"
			105¾"	cord	21/8"	3¾"
	2" Lake Forest [®] Premium Faux Wood 2" Lake Forest Faux Wood	106%"		wand	31/16"	4 ¹ ⁄ ₁₆ "
				cordless	33⁄8"	31/8"
			105%"	cord	315/16"	4 ⁷ ⁄16"
	2½" Lake Forest Premium Faux Wood 2½" Lake Forest Faux Wood	106%"		cordless	3¾"	4¼"
	1" Traditions Wood	100¼"	9 8¾"	wand	21/16"	23⁄8"
3 ¹ / ₈ " Beaded Valance	1" Traditions Elite Wood	1001⁄4 "	9 8¾"	wand	1¾"	21/16"
	2" Grandeur Aluminum		98¾"	cord	21/8"	31⁄4"
	2" Horizontal Vinyl	100¼"		wand	3%16"	31/8"
Valance Returns 1/2" to 1": glued 11/16" to 45%": optional glued 411/16" and greater: not glued	2" Traditions and Elite Wood			cordless	33⁄8"	3¾"
		1001/ #	003/ #	cord	3¾"	4 ¹ ⁄ ₁₆ "
	2¾" Traditions and Elite Wood	100%	100¼" 98¾"		31/16"	315/16"
				cord	315/16"	4¼"
	2½" Traditions Shutter Style	1001⁄4 "	98¾"	cordless	3¾"	41⁄8"

*Continuous valances wider than sizes shown above will have two or more sections spliced together. Maximum width for spliced valances is 300".

Keystones not available with Elite Authentic Hardwood, Distressed, Barnwood, Bamboo, Composite or Faux Wood Valances. **Assumes no returns on inside mount.



Product and Valance Type	Standard Return Inside Width	Depth	Product and Cornice Type	Standard Return Inside Width	Full Reces
		2" Horizo	ntal Blinds		
" Classic Wood Valance			4½" Symphony Wood Cornice	5"	5 ¹³ ⁄16"
1⁄8" Beaded Valance	See pages 10	and 11 for	5½" Majestic Wood Cornice	5"	6"
1⁄2" Legacy Wood Valance	informa	tion	7½" Majestic Wood Cornice	5"	65/16"
1/2" Symphony Wood Valance			5½" Royal Wood Cornice	5"	67/16"
			7½" Royal Wood Cornice	5"	7"
	2	2 <mark>%" & 2</mark> ½" Ho	prizontal Blinds		
" Classic Wood Valance			4½" Symphony Wood Cornice	5"	5 ¹³ ⁄16"
1/8" Beaded Valance	See pages 10 and 11 for		5½" Majestic Wood Cornice	5"	6"
1/2" Legacy Wood Valance	informa	tion	7½" Majestic Wood Cornice	5"	65/16"
1/2" Symphony Wood Valance			5½" Royal Wood Cornice	5"	67/16"
			7½" Royal Wood Cornice	5"	7"
			Solar/Roller Shades		
" Classic Wood Valance	3¾"	41/16"	4½" Symphony Wood Cornice	3¾"	4%16"
1/8" Beaded Valance	3¾"	41/16"	5½" Majestic Wood Cornice	3¾"	4 ³ ⁄ ₄ "
1/2" Legacy Wood Valance	33/4"	43%"	7½" Majestic Wood Cornice	3¾"	51/16"
1/2" Symphony Wood Valance	3¾"	41⁄2"	5½" Royal Wood Cornice	3¾"	5 ³ /16"
			7½" Royal Wood Cornice	3¾"	5 ³ ⁄4"
	F1 (1)		Shades	E 1/#	(5/ 11
" Classic Wood Valance*	5½"	5 ¹³ / ₁₆ "	4½" Symphony Wood Cornice	5½"	65/16"
1/8" Beaded Valance*	5½"	5 ¹³ /16"	5½" Majestic Wood Cornice	5½"	61/2"
1/2" Legacy Wood Valance*	5½"	61/8"	7½" Majestic Wood Cornice	5½"	6 ¹³ / ₁₆ "
½" Symphony Wood Valance	5½"	6¼"	5½" Royal Wood Cornice	5½"	6 ¹⁵ / ₁₆ "
			7½" Royal Wood Cornice	5½"	71/2"
	7 II				/ 12/ 11
" Classic Wood Valance	6"	65/16"	4½" Symphony Wood Cornice	6"	6 ¹³ / ₁₆ " 7"
1/8" Beaded Valance		65/16"	5½" Majestic Wood Cornice	-	
1/2" Legacy Wood Valance	6"	<u>65%</u> " 63⁄4"	7½" Majestic Wood Cornice	6"	7 ⁵ /16"
1/2" Symphony Wood Valance	0	6%	5½" Royal Wood Cornice	6"	7 ⁷ /16"
		Notura	7½" Royal Wood Cornice	0	8"
" Classic Wood Valance	35⁄8"	3 ¹⁵ /16"	4½" Symphony Wood Cornice	35%"	47/16"
1/2" Beaded Valance	35%"	3 ¹⁵ /16"	5½" Majestic Wood Cornice	35%"	4716 45%"
1/2" Legacy Wood Valance	35%"	<u> </u>	7½" Majestic Wood Cornice	35%"	478 4 ¹⁵ / ₁₆ "
1/2" Symphony Wood Valance	35%"	<u>4 /4</u> 4 ³ /8"	5½" Royal Wood Cornice	35%"	5 ¹ / ₁₆ "
	378	478	7½" Royal Wood Cornice	35%"	55%"
		Slide	-Vue™	J 78	J 78
" Classic Wood Valance	31⁄8"		4½" Symphony Wood Cornice	31/8"	3 ¹⁵ ⁄16"
1%" Beaded Valance	31/8"	<u> </u>	5½" Majestic Wood Cornice	31/8"	41/8"
1/2" Legacy Wood Valance	31/8"	33/4"	7½" Majestic Wood Cornice	31/8"	47/16"
1/2" Symphony Wood Valance	31/8"	37/8"	5½" Royal Wood Cornice	31/8"	4%16"
	0,0	070	7½" Royal Wood Cornice	31/8"	51/8"
		Sliding	Panels		
" Classic Wood Valance	5"	55/16"	4½" Symphony Wood Cornice	5"	5 ¹³ /16"
1/8" Beaded Valance	5"	55/16"	5½" Majestic Wood Cornice	5"	6"
1/2" Legacy Wood Valance	5"	5%"	7½" Majestic Wood Cornice	5"	65/16"
1/2" Symphony Wood Valance	5"	5 ³ /4"	5½" Royal Wood Cornice	5"	67/16"
			7½" Royal Wood Cornice	5"	7"
		Vertica	l Blinds		
" Classic Wood Valance	51/2"	5 ¹³ /16"	4½" Symphony Wood Cornice	51/2"	65/16"
🕼 " Beaded Valance	51⁄2"	5 ¹³ /16"	5½" Majestic Wood Cornice	51⁄2"	61/2"
½" Legacy Wood Valance	51⁄2"	61/8"	7½" Majestic Wood Cornice	51/2"	6 ¹³ /16"
½" Symphony Wood Valance	51⁄2"	6¼"	5½" Royal Wood Cornice	51/2"	615/16"
z			7½" Royal Wood Cornice	51/2"	71/2"

 Image: Note: Minimum return length is ½"; maximum return length is 8". Valance returns ½"-1" will be glued, 1½6" - 4%" optional glued, 4½6" and greater cannot be glued. Cornices are not available on bay or corner windows. Valances only available on bay or corner windows if bay or corner application is available on entire product line selected. See Pricing and Information Guide of product selected for measuring instructions.

 If the valance or cornice is to be used alone (no product selected), the return length must be specified at the time of the order.

 *Not recommended due to the height of the shade.

 Dual Shades can be configured with 7½" Cornices. 5½" Cornices are available only when Dual Shade has no cassette with inside mount and Cornices are outside mount.



COMPOSITE AND FAUX WOOD VALANCE RETURNS

Product and Valance Type	Standard Return Inside Width	Full Recess Depth
Cellular, Pleated and Solar/	Roller Shades	
2½" Classic Composite or Faux Wood Valance	3¾"	41/16"
3" Majestic Composite or Faux Wood Valance	3¾"	41⁄4"
Dual Shades		
2½" Classic Composite or Faux Wood Valance*	51/2"	5 ¹³ ⁄16"
3" Majestic Composite or Faux Wood Valance*	51/2"	6 ¹⁵ ⁄16"
Natural Drapes	5	
2½" Classic Composite or Faux Wood Valance	6"	6 ⁵ ⁄16"
3" Majestic Composite or Faux Wood Valance	6"	67/16"
Natural Shades	5	
2½" Classic Composite or Faux Wood Valance	35⁄8"	3 ¹⁵ ⁄16"
3" Majestic Composite or Faux Wood Valance	35⁄8"	41⁄8"
Slide-Vue™		
2½" Classic Composite or Faux Wood Valance	31/8"	37/16"
3" Majestic Composite or Faux Wood Valance	31/8"	31/16"
Sliding Panels		
2½" Classic Composite or Faux Wood Valance	5"	55⁄16"
3" Majestic Composite or Faux Wood Valance	5"	57/16"
Vertical Blinds		
2½" Classic Composite or Faux Wood Valance	5½"	5 ¹³ ⁄16"
3" Majestic Composite or Faux Wood Valance	51/2"	6 ¹⁵ ⁄16"

NOTE: Valances only available on bay or corner windows if bay or corner application is available on entire product line selected.

See Pricing and Information Guide of product selected for measuring instructions.

If the valance is to be used alone (no product selected), the return length must be specified at the time of the order.

*Not recommended due to the height of the shade.

HOW TO MEASURE FOR VALANCE RETURNS

Window depths vary considerably depending on the age and style of the window. **Always** measure the window depth, regardless of the type of window treatment the client is considering. Knowing the depth when the order is placed can help prevent costly errors.


Use the information in your Graber[®] Pricing and Information Guide for Wood, Composite & Faux Wood to calculate the needed return length (chart above).

To calculate the return length, use this formula:

• [Standard Return Length] minus [Client Window Depth] = Special Return Length to order for Inside Mount Blind

Remember: The smallest return width is 1/2".

The length of a return and the width of a valance are measured on the inside (back side–A) of the valance, not the outside (face–B) of the valance (see diagram at right).



A: Inside Measurement B: Outside Measurement



SIZE CONSIDERATIONS: CORNICE AND VALANCE

	Minimur	Minimum Width		Maximum Width Without Splicing		n Width olicing
Type of Valance or Cornice	Inside Mount	Outside Mount	Inside Mount NO Returns	Outside Mount or Inside Mount with Returns	Inside Mount	Outside Mount
3" Classic Wood Valance						
31/8" Beaded Wood Valance		8"	100 ¼"	98 ¾" 105 ¾"	300"	2987/8"
3½" Legacy Wood Valance	81⁄4"					
4½" Symphony Wood Valance						
2½" Classic Composite or Faux Wood Valance ⁺						2003/1
3" Majestic Composite or Faux Wood Valance ⁺						298 ³ ⁄4"
41/ " Comerchance Manual Compiler *				921/2"	94"	921/2"
4½" Symphony Wood Cornice*	_			92 ½ 92 ½	94	92/2
5½" Majestic Wood Cornice ^	01/."	8"	94"	92 ½ 91 ¾"		
7½" Majestic Wood Cornice ^	81⁄4"	8.	94"		366"	366"
5½" Royal Wood Cornice ^				91 1/8 "		
7½" Royal Wood Cornice ^				90"		

Note: Cornices and Valances wider than the widths shown in the chart above will be manufactured in multiple sections. The sections must be assembled during installation.

Customer may request specific locations for the splices as long as it does not exceed our maximum single piece size.

All requests for additional Cornice or Wood Valance splices require a keystone.

The keystone surcharge applies to each additional splice.

*4½" Symphony Cornices cannot be spliced and keystones are not available.

^Inside mount Wood Cornices that require a keystone cannot be mounted flush to the top of the window casing. There will be approximately a ¼" gap at the top and the installation brackets may be visible with this application.

+Keystones are not available with Composite and Faux Wood Valances.

These formulas are used to calculate **BACKSIDE** Valance measurements.

These formulas are used to calculate **BACKSIDE** Cornice measurements.


Inside Mount with NO Returns	Ordered Width -1/16"
Inside Mount with Returns	Ordered Width +¾"
Outside Mount with NO Returns	Ordered Width +½"
Outside Mount with Returns	Ordered Width +¾"

All except Soft Vertical and Sliding Panels					
Inside Mount with NO Returns Ordered Width -1/16"					
Outside Mount with Returns Ordered Width +¾"					
Soft Vertical and Sliding Panels					
Inside Mount with NO Returns Ordered Width -1/16"					
Outside Mount with Returns Ordered Width +½"					

If the product option of OTHER is selected during entry, the BACKSIDE cornice/valance measurement will be the exact width entered. There will be no additions or deductions taken. Cornice or valance return size must be specified.

HOW TO MEASURE A SPECIAL SPLICE LOCATION

A keystone is supplied for valance widths that require a splice. Keystones will be equally spaced unless a special splice location is requested at time of order. The placement of the splice will be calculated by the factory using an **INSIDE** measurement from the mitered corner to the location specified on the order.



Each splice location should be recorded starting from the **LEFT BACKSIDE** corner.

Example: Overall valance width = 80" backside measurement First splice from left = 30" backside measurement Second splice from left = 50" backside measurement

For keystone pricing, see pricing pages.



NOTE: All measurements need to be from backside.

DECORATIVE KEYSTONES



- Decorative Keystones are required on Wood Cornices and Valances that require splicing
- The keystones will be equally spaced unless special splice locations are requested at time of order
- Keystones can be requested on Wood Cornices or Valances without a splice


 Minimum width with a keystone: 12"
 - Maximum number of keystones: 3
- Keystones will be stained or painted to match the Valance or Cornice ordered as standard; optional different color selection available
- Keystones not available on Authentic Hardwood, Bamboo Wood, Barnwood Wood, Distressed Wood, Composite or Faux Wood Valances
- Keystones not available in Sandblast

SPLICE REQUIREMENTS

			No R	eturns	With Returns (In:	side Dimensions)
Profile	Number of Sections	Number of Keystones	Minimum	Maximum	Minimum	Maximum
3" Classic Wood Valance	1	0	8"	100¼"	8"	98 ¾"
3 ¹ / ₈ " Beaded Wood Valance	2	1	1005⁄16"	2001/2"	98 ⁷ ⁄16"	1985⁄8"
3½" Legacy Wood Valance 4½" Symphony Wood Valance	3	2	200%16"	300"	198 ¹ / ₁₆ "	2987/8"
5½" Majestic Cornice	1	0	8"	94"	8"	92 ¹ / ₈ "
	2	1	94 ½6"	187 ½6"	92 ³ ⁄16"	185 ³ ⁄16"
	3	2	1871/8"	2801/8"	185¼"	278¼"
	4	3	280 ³ ⁄16"	366"	2785/16"	366"
7½" Majestic Cornice	1	0	8"	94"	8"	91%"
	2	1	94 ½6"	186 ¹ / ₁₆ "	91 ⁷ ⁄16"	1841/16"
	3	2	186¾"	279¾"	1841⁄8"	276¾"
	4	3	279 ⁷ ⁄16"	366"	276 ¹³ /16"	366"
5½" Royal Cornice	1	0	8"	94"	8"	91 ¹ / ₈ "
	2	1	94 ½6"	186%16"	91 ³ ⁄16"	183 ¹ / ₁₆ "
	3	2	186%"	2791/8"	183¾"	276¼"
	4	3	279 ³ ⁄16"	366"	2765/16"	366"
7½" Royal Cornice	1	0	8"	94"	8"	90"
	2	1	94 ¹ ⁄16"	186"	901/16"	182"
	3	2	186 ¹ ⁄16"	278"	1821/16"	274"
	4	3	278 ¹ ⁄16"	366"	2741/16"	366"

Outside Mount

- Wood Cornices and Valances requiring a splice will include a keystone (see chart above for details)
- Keystones are not available on Composite or Faux Wood Valances
- Keystones will be equally spaced unless special splice locations are requested
- Optional keystones can be ordered with single piece cornices or valances or in addition to required keystones
- Minimum width with a keystone is 12"
- Maximum number of keystones is 3



Inside Mount

- Wood Valances 100¹/₄" or wider and Cornices 94" exact or wider will require a keystone
- Keystones are not available on Composite or Faux Wood Valances
- Keystones will be equally spaced unless special splice locations are requested
- Optional keystones can be ordered with single piece cornices or valances or
- in addition to required keystones
- Minimum width with a keystone 12"
- Maximum number of keystones is 3





